

Flexflow

Water Softener



RI
SE



Glasvænget 6 • 5492 Vissenbjerg • Denmark
+45 70 40 42 22 • info@filter-online.com
filter-online.com

A part of House of Filtration

Softening of Water

The FlexFlow water softener is a water softener suitable for larger applications such as commercial buildings and apartment complexes.

FlexFlow can handle several apartments at the same time, due to its flow, which is 80 or 125 l/min - depending on the model.

For greater capacity, it will be possible to connect several FlexFlows. This is suitable for larger apartment complexes, sports complexes and commercial buildings.

FlexFlow has the RISE drinking water approval.

Flow l/h: 4.100 - 9.400

Min. work pressure: 2 bar

Max. work pressure: 7 bar

Max. water temperature: 43°C

Connection In/Out: 1"

Connection Drain: 1/2"

Power supply: 230V - 50HZ

Digital display: Yes



FlexFlow Water Softener

Capacity @20dH

Model	Flow (L/h)	Capacity / Regen.	Kg. Salt / Regen.	Consumption of rinsing water (L)
FLEXFLOW-080	4.100 L	11.200 L	9,6 kg.	445 L
FLEXFLOW-125	4.700 L	17.500 L	12,4 kg.	690 L
FLEXFLOW-DUO-160	8.200 L	22.400 L	19,2 kg.	890 L
FLEXFLOW-DUO-250	9.400 L	35.000 L	24,8 kg.	1.380 L

FlexFlow Dimensions (cm) - (x2 width for DUO version)

Model	Width	Height	IN/OUT Height
FLEXFLOW-080	34	156	141
FLEXFLOW-125	37	183	170

Salt (Brine) Tank Dimensions (cm) - (x2 width for DUO version)

Model	liter	Width	Height
FLEXFLOW-080	~286	68	79
FLEXFLOW-125	~286	88	92

Hard water was responsible for frequent descaling and higher costs



Challenges with lime scale in Carl Nielsen Sports Hall

In the Carl Nielsen Sports Hall in Nr. Lyndelse on Funen, lime scale has been an ongoing challenge that has created frustrations and increased expenses. Located in an area with hard water, the hall has experienced that the showers in their bathing facilities quickly had a lot of lime scale. This has meant frequent cleaning, with the staff spending many hours descaling the showers – a process that also required large quantities of cleaning agent. This has cost the hall both time and money.

In order to solve the problem, Ulrik, who is the hall manager in Carl Nielsen Sports Hall, and the board decided that a better solution had to be found. They wanted a system that could soften the water to an extent that covered all water facilities both in and around the hall – including their shower facilities, the kitchen area and other water installations. The goal was clear: to get rid of the many expenses and the time-consuming maintenance that the limescale problem entailed.



Strength

- We export to nearly 100 countries worldwide.
- We have more than 2000 active customers.
- We can deliver a complete filtration solution.

- House of Filtration has a vision to become one of the leading suppliers of filtration solutions to the Nordic market.
- In addition to what we can handle in our own facilities and with our own abilities, we have a fantastic network of manufacturers, suppliers and other business partners who help to maintain our high level and standard, so that our team can provide the absolute best service to the customer.



Filter-Online
Nordic Filtration Solution
for better drinking water experience



Glasvænget 6 • 5492 Vissenbjerg • Denmark
+45 70 40 42 22 • info@filter-online.com
filter-online.com

