

Compressed Air Receiver Galvanized



Specifications


Pressure: 11,12,16 bar
 Connection: -
 Material: Galvanized

Available Certificates: SPVD 2009/105/EC
 PED 97/23/EC
 ASME Sect. VIII Div. 1 / Div. 2
 Dir. 2014/68/EU (CE 003)


Our compressed air receivers are designed to store compressed air. The vessels are manufactured in Germany to the highest quality standards. On request we can also deliver vessels designed for any other technical gas.

This series vessels are, for pressures: 11,12,16 bar.

finding the receiver based on airflow									
Airflow Capacity, m ³ /h	170	340	510	680	850	1275	1700	2550	3400
Recommended receiver volume, liters	500	900	1500	1500	2000	3000	4000	6000	8000



Data																	
Number	Capacity	Operating Pressure	De	A	B	C	D	L	1	2	3	4	5	6	7	8	Weight kg
	ltr	bar	mm	mm	mm	mm	mm	mm	inch (")								
7200100-11	100	11	370	170	355	1055	-	1213	2x2	3/4	-	3/8	3/8	-	3/4	-	32
7200150-11	150	11	396	170	385	1210	-	1430	2x2	1	-	3/8	3/8	-	1	-	46
7200200-11	200	11	446	170	400	1225	-	1557	2x2	1	-	3/8	3/8	-	1	-	57
7200270-11	270	11	500	170	599	1304	-	1648	2x2	1	1	-	3/8	1	-	-	70
7200270-16	270	16	500	170	599	1304	-	1648	2x2	1	1	-	3/8	1	-	-	104
7200500-11	500	11	600	155	785	1665	-	2050	2x2	2	2	-	3/8	2	2	-	119
7200500-16	500	16	600	155	785	1665	-	2050	2x2	2	2	-	3/8	2	2	-	149
7200720-11	720	11	800	135	880	1705	-	2030	2x2	2	2	3/8	3/8	2	2	-	181
7201000-11	1000	12	800	145	770	1720	-	2350	2x2	2	2	2	3/8	3/8	2	-	214
72001000-16	1000	16	800	150	770	1720	-	2350	2x2	2	2	3/8	3/8	2	2	-	249
72001500-11	1500	12	1000	170	680	1780	-	2305	2x2	2	2	2	1/2	1/2	2	-	325
72001500-16	1500	16	1000	170	680	1780	-	2305	2x2	2	2	1/2	1/2	2	2	-	428
72002000-11	2000	12	1100	200	770	1970	-	2490	2x2	2	2	2	1/2	1/2	2	-	394
72002000-16	2000	16	1000	170	770	2185	-	2740	2x2	2	2	1/2	1/2	2	2	-	455
72003000-11	3000	12	1200	140	830	2250	1540	2990	2x2	2	2	2	1/2	1/2	2	2	600
72003000-16	3000	16	1200	140	830	2250	1540	2990	2x2	2	2	1/2	1/2	2	2	2	635



Data - 4000+ L (Oversize)

Number	Capacity	Operating Pressure	De	A	B	C	D	E	F	L	1	2-3-4-5	6-7-8-9	10	11	Weight kg
	ltr	bar	mm	mm	mm	mm	mm	mm	mm	mm	inch (")					
7204000-11	4000	12	1450	225	800	2145	=	=	=	2790	2	3	=	3/4	3/8	835
7204000-16	4000	16	1450	225	800	2145	=	=	=	2790	2	3	=	3/4	3/8	1145
7206000-11	6000	12	1450	225	800	3345	=	=	=	3990	2	3	=	3/4	3/8	1090
7206000-16	6000	16	1450	225	800	3345	=	=	=	3990	2	3	=	3/4	3/8	2585
7208000-11	8000	12	1650	175	1150	1930	2460	3310	1680	4315	2	3	3	3/4	3/8	1730
7210000-11	10000	12	1650	175	1150	2200	3150	4250	1950	5200	2	3	3	3/4	3/8	2016
7210000-16	10000	16	1650	175	1150	2200	3150	4250	1950	5200	2	3	3	3/4	3/8	2585